



*Know-how in food processing!*



# Doner Cutting Machines

Yaprak makinasi



# Doner-Cutting Machine

## Yaprak makinasi

### Cortex CB 435/5 KEBAB



Know-how in food processing!

#### Operational fields

Cutting machine for cutting thin slices for Doner and Gyros production

#### Sorts of meat

Veal, beef, lamb, turkey breast etc.

#### Blade holder

Stepless adjustment from 0.5 - 8 mm (other thicknesses available)

#### Cutting width


500 mm (ideal width for cutting e.g. ribs of veal)

#### Careful processing of the meat

Special blade holder and spring suspended pressure roller guarantee a very careful processing of the meat.

#### Optional

- Output conveyor belt for sliced meat (to fill box wagons)
- Other thicknesses available
- Cutting width 430 mm (type Cortex CB 435 KEBAB)
- Output conveyor belt instead of product return system
- Multi-cut cutting combinations for 2 - 5 sequential automatic cut processes



#### Quality

- Made of stainless steel
- Made in Germany
- Base plates, thickness 15 mm (NOCK POWER PLATES®) for NOCK-typical robustness, durability and service friendliness

#### Technical Data

Type:	Cortex CB 435/5 KEBAB
Cutting width:	500 mm
Transmission height:	120 mm
Cutting effect:	28 m/min
Motor data:	1.1 kW 3 phases
Weight:	210 kg
Dimensions (with infeed belt):	width: 810 mm height: 1190 mm depth: 1250 mm

#### Unique: The NOCK product return system

The integrated NOCK product return system allows processing by **only one operator**, as the meat comes **automatically** back into his hands and only needs to be placed on the infeed conveyor belt again.



#### Benefits

- No second operator necessary = enormous savings.
- The operator can feed the machine without interruption.
- The operator's back is spared (no need to bend down all the time)
- Integrated in the machine, needs no extra space as no extra conveyor belt is necessary
- Easy and quick cleaning of system.
- Reasonable price !



**NOCK Fleischereimaschinen GmbH**  
Industriestraße 14  
D-77948 Friesenheim / GERMANY

Telefon: +49 (0)7821 / 99 78 16  
Telefax: +49 (0)7821 / 99 78 18  
E-Mail: [info@nock-gmbh.com](mailto:info@nock-gmbh.com)  
Internet: [www.nock-gmbh.com](http://www.nock-gmbh.com)

## Technical data + equipment / Doner and Gyros cutting machines

	Cortex CB 496 GYROS	Cortex CB 503 KEBAB
cutting width (mm)	430	500 <sup>①</sup>
cutting speed (m/min)	24	28
NOCK Integrated Product Return System®	<input type="radio"/>	<input type="radio"/>
alternative: output conveyor belt for remaining uncut meat	<input type="radio"/>	<input type="radio"/>
output conveyor belt for cut meat	<input type="radio"/>	<input type="radio"/>
pressure roller spring suspended adjustable in height	<input checked="" type="radio"/> <input checked="" type="radio"/>	<input checked="" type="radio"/> <input checked="" type="radio"/>
blade gap infinitely variable (mm)	0.5 – 8 <sup>②</sup>	0.5 – 8 <sup>②</sup>
apply length on infeed conveyor belt (mm)	400 <sup>④</sup>	400 <sup>④</sup>
tooth roller with scraper comb	<input checked="" type="radio"/>	<input checked="" type="radio"/>
blade holder spring suspended	<input checked="" type="radio"/>	<input checked="" type="radio"/>
max. throughput height (mm)	90	90
lockable castors	<input checked="" type="radio"/>	<input checked="" type="radio"/>
NOCK POWER PLATES®	<input checked="" type="radio"/>	<input checked="" type="radio"/>
motor performance (kW)	0.75	1.1
electrical connection	3 AC - 400/230 V – 50(60) Hz – CEKON 16 A <sup>③</sup>	
weight (kg)	210	230
overall measurement W x H x D (mm)	800 x 1190 x 1210 <sup>④</sup>	865 x 1190 x 1210 <sup>④</sup>
stainless steel	<input checked="" type="radio"/>	<input checked="" type="radio"/>
stainless steel bearings	<input checked="" type="radio"/>	<input checked="" type="radio"/>
available as a multi cut system	<input type="radio"/>	<input type="radio"/>

- ① other cutting widths (e.g. 600 mm) upon request
- ② optional other thicknesses available
- ③ other voltages available upon request
- ④ in case of NOCK Integrated Product Return System®

**standard**

**optional**

NOCK Maschinenbau GmbH  
 Industriestrasse 14  
 77948 Friesenheim  
 GERMANY

Tel: +49 (0) 7821-99 78 16  
 Fax: +49 (0) 7821-99 78 18  
 E-mail: info@nock-gmbh.com  
 www.nock-gmbh.com